LFT Testing & Antiviral Treatment – ADULTS in Primary Care Patient suitable for remote consultation & can have their oral medicines collected Patient is assessed and counselled remotely by medical staff Positive LFT Result Patient contacted b AEC nurse fo appointmen atient attends AEC via sic Contact GP. If GP surgery Patient to entrance next to ED ma attend AEC closed for the next 24 entrance (access via hours, contact MEDS intercom) Advise patient not eligible for anti-viral Not eligible— Verify patient treatment; observe positive LFT guideline symptomati **1** and is in highest ris Contact AMU via 01624 650021 and ask to speak to the AMU Consultant or Charge eligibility Eligible_ (Appendix 1 Nurse for AMU. Email the Summary Care Record & Medication Record to the email address they If the patient Give the patient the Paxlovid or is in AEC molnupiravir and counsel them or **AEC** medica how to use it Prescribe and send the AEC Dr to sig and nursing Paxlovid or molnupiravir— prescription to pharmacy for staff to worl off treatmen Patient placed AEC medical and nursing staff to AEC Nurse to through plan with AE confirm with patient medical history (Appendix 2) Receive & Antiviral/ Consultant If the patient Arrange for Paxlovid or & current medications. Prescribe **─** End nMAB and decide i If history o relevant medication and email is at home molnupiravir to be collected by receipt of Pathways the patient agree time for patient's representative medication summary to notification including needs to impairmen¹ pharmacy.nobles@gov.im and call from GP Paxlovid dru attend AEC c and confirm request eGF armacy on extension 650823 if staf rescribe and prepare infusion (CrCl if >7! can be details are unable to leave the AEC as per Medusa for remdesiv Remdesivir or sotrovimab____ screen to or as per the clinical decide remotely preparation record for sotrovimab (Appendix 3)