



Isle of Man
Government

Reiltys Ellan Vannin



Department of Infrastructure
Highway Services Division

Code of Practice for the testing of autonomous vehicles

Director of Highway Services
Version 1.0 (February 2017)

Contents

1. Introduction	2
2. Aim, scope and definitions	3
Aim	3
Scope	3
Definitions	3
3. General requirements	5
Safety requirements	5
Insurance	5
Infrastructure and transport authorities	5
Engagement	6
4. Test driver, operator and assistant requirements	7
Requirements for a test driver / operator to oversee testing	7
License requirements	7
Test driver / operator training	8
Test driver hours	8
Test driver / operator behaviour	8
Test assistants	9
5. Vehicle requirements	10
General vehicle requirements	10
Maturity of technologies under test	10
Data recording	10
Data protection	11
Cyber security	11
Process for transition between automated and manual modes	12
Failure warning	12
Hardware and software levels	12

1. Introduction

- 1.1 The Isle of Man Government recognises the potential benefits of driverless and automated vehicle technologies, particularly the potential to improve road safety and reduce casualties. The Isle of Man Government believes that it can offer a business-friendly environment for the development and testing of automated vehicles and related technologies. The Isle of Man offers many advantages over other locations including a large, diverse and challenging road network that ranges between sea level and 500 metres through rural and urban and locations. Not to mention 4 seasons in a day! The Government therefore wishes to support and facilitate the development and introduction of these technologies to our roads.
- 1.2 For this reason the Government has published this Code of Practice, which is based on the UK Code of Practice for testing, 'The Pathway to Driverless Cars', that was published by the UK Department for Transport in February 2015. The Isle of Man Government intends to implement new legislation in 2017 to further facilitate the development and use of autonomous vehicle technologies and it is expected that a modified Code of Practice will be introduced at that time. The Isle of Man Government welcomes suggestions and views from industry, academia and testing organisations on the best regulatory framework to support the development of these technologies in a safe environment.
- 1.3 Automotive manufacturers and systems developers want to ensure that highly and fully automated vehicle technologies undergo thorough testing and development before being brought to market. Some of this development can be done in test laboratories or on dedicated test tracks and proving grounds. However to help ensure that these technologies are capable of safely handling the many varied situations that they may encounter throughout their service life, controlled 'real world' testing will also be necessary. Testing of automated vehicle technologies on public roads or in other public places should therefore be facilitated while ensuring that this testing is carried out with the minimum practicable risk.
- 1.4 The publication of this Code of Practice is intended to help manufacturers and those organising testing these technologies by providing clear guidelines and recommendations for measures that should be taken to maintain safety during this testing phase.
- 1.5 This Code of Practice is a non-statutory, working document designed to promote and facilitate responsible testing. It should be used by competent testing organisations. Failure to follow the Code may be relevant to liability in any legal proceedings. Similarly, compliance with the Code does not guarantee immunity from liability in such circumstances.

2. Aim, scope and definitions

Aim

- 2.1 The Isle of Man wants to create a permissive and safe environment in which businesses can thrive. This Code of Practice provides guidance for competent organisations wishing to conduct testing of highly or fully automated vehicle technologies on public roads or in other public places on the Isle of Man. It details recommendations that the Government believes should be followed to maintain safety and minimise potential risks. The Government remains open to suggestions on how this code could be improved.
- 2.2 Our vision is to encourage vibrant economic activity through the development of a creative, dynamic and supportive environment for the testing of automated vehicle technologies.

Scope

- 2.3 This Code of Practice is intended to apply
- whenever highly or fully automated vehicle technologies are being tested on public roads or in public places on the Isle of Man; and
 - to testing of a wide range of vehicles, from smaller automated pods, robots, drones and shuttles, through to more conventional road going vehicles such as cars.

Highly or fully automated vehicles are those which, when sold commercially, would be marketed on the basis that they would allow a driver to disengage from the task of driving for some or all of the duration of the journey, or allow vehicles to operate without a driver.

- 2.4 The Code is not intended to apply to the testing and development of advanced driver assistance systems or to tests carried out on private test tracks or other areas not accessible to the public.

Definitions

- 2.5 For the purposes of this document the following definitions should be understood:

Highly automated vehicle

- 2.6 A vehicle in which a driver is required to be present and can take manual control at any time. However in certain situations, the vehicle can offer an automated mode that allows the driver to 'disengage' from the driving task and undertake other tasks.

Fully automated vehicle

- 2.7 This means a vehicle in which a driver is not necessary. The vehicle is designed to be capable of safely completing journeys without the need for a driver in all traffic, road and weather conditions that can be managed by a competent human driver.
- 2.8 When fully automated vehicles come to market, occupants will be able to engage in tasks other than driving for the entire journey. Fully automated vehicles may still offer a full set of controls to allow a driver to resume manual control if they so wish. (Note: For the

purposes of testing, this Code of Practice requires that a fully automated vehicle has the facility for manual control to be resumed at any time).

Driver or test driver

- 2.9 A driver or test driver should normally be interpreted as the person who is seated in the vehicle in a position where they are able to control the speed and direction using manual controls at any time. This person may be referred to as the driver even when the vehicle is operating in an automated mode. For further information see Chapter 4.

Test operator

- 2.10 A test operator is someone who oversees testing of an automated vehicle without necessarily being seated in the vehicle, since some automated vehicles might not have conventional manual controls and/or a driver's seat. In this case it is expected that a 'test operator' would still be able to over-ride automated operation of the vehicle at any time. For further information see Chapter 4.

Test assistant

- 2.11 A test assistant would assist the test driver or test operator in conducting tests, for example by monitoring digital information displays or other information feedback systems and by observing the movements of other road users. For further information see Chapter 4.

Public road

- 2.12 In this Code, public road means any highway or other road to which the public have access.

Maintenance and Use Regulations

- 2.13 In this Code the term "Maintenance and Use Regulations" means the Road Vehicles (Maintenance and Use) Regulations 2012 (Isle of Man, S.D. 0323/2012).

Construction, Equipment and Weights Regulations

- 2.14 In this Code the term "Construction, Equipment and Weights Regulations" means the Road Vehicles (Construction, Equipment and Weights) Regulations 2012 (Isle of Man, S.D. 0326/2012).

3. General requirements

Safety requirements

- 3.1 Responsibility for ensuring that testing of these technologies on public roads or in other public places is conducted safely always rests with those organising the testing. Compliance with these guidelines alone should not be considered to be sufficient to ensure that all reasonable steps to minimise risk have been taken.
- 3.2 Vehicles under test on public roads must obey all relevant road traffic laws. It is the responsibility of testing organisations to satisfy themselves that all tests planned to be undertaken comply with all relevant existing laws and that the vehicles involved are roadworthy, meet all relevant vehicle requirements, and can be used in a way that is compatible with existing Isle of Man road traffic law (see Chapter 5).
- 3.3 The relevant road traffic laws include Regulation 46 of Maintenance and Use Regulations and Regulation 35 of Construction, Equipment and Weights Regulations. Broadly these highlight that it is an offence to use a motor vehicle in such a way that it would present a danger to other road users.
- 3.4 Testing organisations should
 - ensure that test drivers and operators hold the appropriate driving licence and have received appropriate training (see Chapter 4),
 - conduct risk analysis of any proposed tests and have appropriate risk management strategies, and
 - be conscious of the effect of the use of such test vehicles on other road users and plan trials to manage the risk of adverse impacts.
- 3.5 Testing organisations should maintain a record of all incidents involving the test vehicles that result in any physical injury or damage to people, animals, other vehicles or property. Any such incident shall be reported to Highway Services Division within 30 days. The complete record of incidents should be provided to Highway Services Division on request for use in preparing amendments to this Code of Practice or to legislation; it will be treated as commercial in confidence and will not be published in any form by the Isle of Man Government.

Insurance

- 3.6 The statutory requirements on the holding of insurance will apply whilst a vehicle is being tested. Anyone conducting tests of automated vehicles on public roads or in other public places must therefore hold appropriate insurance or otherwise comply with the statutory requirements.

Infrastructure and transport authorities

- 3.7 Testing organisations shall engage with the Highway Services Division at an early stage prior to testing. The testing organisation should be expected to present relevant documentation to clarify the nature of the testing, and to justify that the state of development and previous testing is sufficient for the proposed testing to take place.

3.8 Any specific infrastructure requirements that are considered necessary to support testing, including traffic signing, will need to be agreed with Highway Services.

Engagement

3.9 Testing organisations should develop a public relations and communications strategy to:

- educate the public and other stakeholders regarding the potential benefits of automated vehicles;
- explain the general nature of the tests to be undertaken;
- explain the implications for other road users, if any, and what steps are being taken to mitigate any risks; and
- provide reassurance and address any concerns that the public may have. Particular consideration should be given to the concerns of more vulnerable road users including disabled people, those with visual or hearing impairments, pedestrians, cyclists, motorcyclists, children and horse riders.

3.10 Those wishing to conduct testing of highly and fully automated vehicles on public roads or in other public places should engage with the emergency services to facilitate co-operation in the event of an investigation. This can be arranged through the Highway Services Division.

3.11 The availability of technical advice to the emergency services should also be discussed and agreed so that those attending an incident can be aware of any unusual features of automated vehicles. Testing organisations should provide vehicle registration numbers of the vehicles under test to the Highway Services Division and the police.

4. Test driver, operator and assistant requirements

Requirements for a test driver / operator to oversee testing

- 4.1 During testing of automated vehicles on public roads or in other public places, a suitably licenced and trained test driver or test operator should supervise the vehicle at all times and be ready and able to over-ride automated operation if necessary. Details of licencing and training are specified in paragraphs 4.8 to 4.15.
- 4.2 The test driver or test operator will be responsible for ensuring the safe operation of the vehicle at all times whether it is in a manual or automated mode. The test driver or operator should be familiar with and understand the systems under test, their capabilities and any limitations, and be able to anticipate the need to intervene and resume manual control if necessary.
- 4.3 A test operator may be in control of multiple vehicles, provided that certain criteria, to be agreed with Highway Services, are satisfied.
- 4.4 The test driver or test operator should be authorised to perform this role by the organisation responsible for conducting the testing. Testing organisations should have robust risk management, process and training procedures in place for test drivers and operators, and should ensure they hold an appropriate driving licence.
- 4.5 Testers should note that Regulation 61 of the Maintenance and Use Regulations is applicable to use of prototype vehicles on public roads. This regulation states:

"A person must not drive or cause or permit another to drive, a motor vehicle on a road if the driver is in such a position that he or she cannot have proper control of the vehicle or have a full view of the road and traffic ahead."
- 4.6 Test operators must still observe the road traffic laws that apply when vehicles are used in public places that are not public roads. This includes the traffic laws that protect the public from careless or dangerous driving, and restrict where vehicles can be driven.
- 4.7 In locations other than public roads, testing should be overseen by a test operator who can, as a minimum, apply an emergency stop control.

Licence requirements

- 4.8 The test driver or test operator must hold the appropriate category of driving licence for the vehicle under test, if testing on a public road. This is true even if testing a vehicle's ability to operate entirely in an automated mode. It is strongly recommended that the licence holder also has several years' experience of driving the relevant category of vehicle.
- 4.9 In the case of a prototype vehicle which cannot easily be categorised, the nearest equivalent conventional category of licence would be expected to be held.
- 4.10 The testing organisation should not use test drivers or operators whose driving history indicates that they may present a particular risk.

- 4.11 For testing not conducted on the public road, it is strongly recommended that the test driver or test operator holds the appropriate category of licence for the vehicle; however this is not a legal requirement.

Test driver / operator training

- 4.12 Test drivers and operators supervising public road testing of automated vehicles will need skills over and above those of drivers of conventional vehicles. For example it will be important to ensure that they have an excellent understanding of the capabilities and potential limitations of the technologies under test, and are already familiar with the characteristics of the vehicle, preferably through extensive experience of tests conducted on closed roads or test tracks.
- 4.13 The responsibility for ensuring test drivers and operators have received the appropriate training and are competent lies with the testing organisation. Testing organisations should develop robust procedures to ensure the competency of test drivers and operators.
- 4.14 Test drivers and operators should be familiar with the capabilities of the automated systems under test, and be aware of the situations in which it may be necessary to intervene. Training should cover potentially hazardous situations that may be encountered and the appropriate action to take when resuming manual control.
- 4.15 Training in the process for transitioning between conventional manual control and an automated mode will be particularly important. It is critical to safety that those conducting tests are fully aware of exactly how control is passed between the test driver or test operator and the vehicle.

Test driver hours

- 4.16 Test drivers and operators should remain alert and ready to intervene if necessary throughout the test period.
- 4.17 Testing organisations should develop robust procedures to ensure that test drivers and operators are sufficiently alert to perform their role and do not suffer fatigue. This could include setting limits for the amount of time that test drivers or operators perform such a role per day and the maximum duration of any one test period.

Test driver / operator behaviour

- 4.18 Testing organisations should have in place clear rules regarding test driver and operator behaviour, and ensure that these are known and understood.
- 4.19 The rules should cover any restrictions on use of alcohol and drugs, over and above existing legal restrictions. This will help prevent a test driver or operator's judgement and ability to perform their role from being impaired.
- 4.20 All existing laws regarding driver behaviour, for example prohibiting use of a hand-held mobile phone or other similar hand-held device, complying with speed limits, continue to apply even if the vehicle is operating in an automated mode.
- 4.21 Test drivers and operators should be conscious of their appearance to other road users, for example continuing to maintain gaze directions appropriate for normal driving.

Test assistants

- 4.22 Depending on the nature of the tests being undertaken and the vehicle involved, a test assistant should be considered.
- 4.23 For example if the vehicle is a conventional car which has been adapted to include automated technologies, and is being tested on public roads, a test assistant could assist the test driver by monitoring digital information displays or other information feedback systems related to the operation of the automated technologies.

5. Vehicle requirements

General vehicle requirements

- 5.1 Any organisation wishing to test automated vehicle technologies on public roads or in other public places must ensure that the vehicles under test can be used in a way compatible with existing Isle of Man road traffic law.
- 5.2 The vehicle must be roadworthy and must, if used on a public road, meet the relevant in-service requirements, detailed in the Maintenance and Use Regulations and the Construction, Equipment and Weights Regulations. A roadworthiness test will be required for any test vehicle of a type that is certifiable, including buses, minibuses and taxis.
- 5.3 If the test vehicle is used or kept on any public road, it must be registered on the Island.

Maturity of technologies under test

- 5.4 Organisations wishing to test automated vehicles on public roads or in other public places will need to ensure that the vehicles have successfully completed in-house testing on closed roads or test tracks. These facilities can both be facilitated on the Isle of Man.
- 5.5 Organisations should determine, as part of their risk management procedures, when sufficient in-house testing has been completed to have confidence that public road testing can proceed without creating additional risk to road users. Testing organisations shall maintain an audit trail of such evidence.
- 5.6 Vehicle sensor and control systems should be sufficiently developed to be capable of appropriately responding to all types of road user which may typically be encountered during the test in question. This includes more vulnerable road users for example disabled people, those with visual or hearing impairments, pedestrians, cyclists, motorcyclists, children and horse-riders.

Data recording

- 5.7 Automated vehicles under test should be fitted with a data recording device which is capable of capturing data from the sensor and control systems associated with the automated features as well as other information concerning the vehicle's movement.
- 5.8 As a minimum this device should record the following information (preferably at 10Hz or more):
 - Whether the vehicle is operating in manual or automated mode
 - Vehicle speed
 - Steering command and activation
 - Braking command and activation
 - Operation of the vehicle's lights and indicators
 - Use of the vehicle's audible warning system (horn)

- Sensor data concerning the presence of other road users or objects in the vehicle's vicinity
 - Remote commands which may influence the vehicle's movement (if applicable)
- 5.9 This data should be able to be used to determine who or what was controlling the vehicle at the time of an incident. The data should be securely stored and should be provided to the relevant authorities upon request. It is expected that testing organisations will cooperate fully with the relevant authorities in the event of an investigation.
- 5.10 Testers shall fit vehicles under test with a suitable video and audio recording system. However this should not be considered as an alternative to the data recording requirements specified in paragraph 5.7.
- 5.11 Any data from the onboard data recording device, vehicle diagnostics, video recording system and audio recording system should be provided to Highway Services Division on request for use in preparing amendments to this Code of Practice or to legislation; it will be treated as commercial in confidence and will not be published in any form by the Isle of Man Government.

Data protection

- 5.12 Testing is likely to involve the processing of personal data. For example, if data is collected and analysed about the behaviour or location of individuals in the vehicle, such as test drivers, operators and assistants, and those individuals can be identified, this will amount to the processing of personal data under the Isle of Man Data Protection Act 2002. The project team must therefore ensure that the data protection legislation is complied with, including the requirements that the personal data is used fairly and lawfully, kept securely and for no longer than necessary.
- 5.13 Guidance for organisations on complying with the data protection laws can be found on the Information Commissioner's website.¹ We recommend that projects consider whether to undertake a privacy impact assessment as described in the Information Commissioner's Code of Practice.²
- 5.14 Undertaking a privacy impact assessment is not a legal requirement, but is a useful tool to help a project comply with the data protection laws. As recognised in the Information Commissioner's Code of Practice, the privacy impact assessment can be developed flexibly and proportionately, depending on how complex or straightforward the privacy issues are for a particular project.

Cyber security

- 5.15 As has already been stated in Chapter 4, a requirement for testing is that a test driver or operator oversees the movements of the vehicle under test and is capable of implementing a manual over-ride at any time.

¹ Information Commissioner, guidance on data protection, available here: <https://www.inforights.im/information-centre/data-protection/data-protection-guidance-for-organisations>

² Information Commissioner's Office, Conducting Privacy Impact Assessments – Code of Practice, available here: <https://ico.org.uk/media/for-organisations/documents/1595/pia-code-of-practice.pdf>

- 5.16 Nevertheless, manufacturers providing vehicles and other organisations supplying parts for testing will need to ensure that all prototype automated controllers and other vehicle systems have appropriate levels of security built into them to manage any risk of unauthorised access.
- 5.17 Testing organisations should consider adopting the security principles set out in BSI PAS754 Software Trustworthiness - Governance and management - Specification or an equivalent.

Process for transition between automated and manual modes

- 5.18 An important area for the safety of automated vehicle testing is the management of the transitions from manual control to an automated mode and, in particular, from an automated mode back to manual control.
- 5.19 The system which is used should:
- Be easily and clearly understood by the test driver.
 - Ensure that the driver is given clear indication of whether the vehicle is in manual or automated mode.
 - Ensure that the driver is given sufficient warning to resume manual control when necessary.
 - Allow the driver to quickly and easily retake control of the vehicle when necessary.
- 5.20 Ensuring that the transition periods between manual and automated mode involve minimal risk will be an important part of the vehicle development process. It would therefore be expected to be developed and proven during private track testing prior to testing on public roads or other public places.

Failure warning

- 5.21 In the event of a malfunction or failure of the automated driving systems under test, the test driver or operator should be made aware with an audible warning, which may be accompanied by a visual warning.
- 5.22 Vehicle automated braking and steering systems should be designed such that in the event of failure, manual braking and steering is still possible.

Hardware and software levels

- 5.23 It is expected that automated driving systems will rely on the interaction and correct operation of several computers and electronic control modules. It will be important that:
- All test hardware in the vehicle to be tested should be clearly documented and have been subjected to appropriate and documented testing.
 - Software levels and revisions running on each vehicle to be tested are clearly documented and recorded.

- All software and revisions have been subjected to extensive and well documented testing. This should typically start with bench testing and simulation, before moving to testing on a closed test track or private road. Only then should tests be conducted on public roads or other public places.

Further information and support can be sought through the Director of Highway Services, the Department of Infrastructure