

**Part I: SPECIES FOR WHICH YOU MAY NOT FISH:**

**LICENCE HOLDERS ARE REMINDED THAT QUOTAS ARE IN LIVE WEIGHT.**

For the conversion factors that apply see the bottom of this Annexe.

**Sea Areas in Italics are Permanently Closed.**

Description of Sea Fish	Areas of Sea
<i>Anchovy</i>	<i>VIII</i>
<i>Angel sharks</i>	<i>IIa, IV, Vb, VI, VII, VIII</i>
<i>Basking sharks</i>	<i>IIa, IV, Vb, VI, VII, VIII</i>
<i>Big-eye tuna</i>	<i>IIa, IV, Vb, VI, VII, VIII</i>
<i>Black Scabbardfish</i>	<i>VIII</i>
<i>Blue Ling</i>	<i>II, III, IV &amp; Vb</i>
<i>Bluefin Tuna</i>	<i>IIa, IV, Vb, VI, VII, VIII</i>
<i>Common skate (Dipturus batis)</i>	<i>IIa, IV, VI, VII, VIII</i>
<i>Deep sea sharks<sup>4</sup></i>	<i>IIa, IV, Vb, VI, VII, VIII</i>
<i>Forkbeards</i>	<i>VIII</i>
<i>Herring</i>	<i>IIa<sup>6</sup></i>
	<i>VIIbc</i>
	<i>VIIg-k</i>
	<i>The Thames and Blackwater coastal area<sup>2</sup></i>
	<i>The Firth of Clyde<sup>3</sup></i>
<i>Ling</i>	<i>Vb</i>
<i>Megrim</i>	<i>VIII</i>
<i>Migratory trout</i>	<i>IIa, IV, Vb, VI, VII, VIII</i>
<i>Nephrops</i>	<i>VIII</i>
<i>Norway pout</i>	<i>IIa &amp; IV</i>
<i>Norwegian skate (Raja {Dipturus} nidarosiensis)</i>	<i>VI, VIIa-c, e-k</i>
<i>Orange roughy</i>	<i>IIa, IV, Vb, VI, VII, VIII</i>
<i>Plaice</i>	<i>VIIbc</i>
	<i>VIII</i>
<i>Pollack</i>	<i>VIII</i>
<i>Porbeagle</i>	<i>IIa, IV, V, VI, VII, VIII</i>
<i>Redfish</i>	<i>Vb</i>
<i>Roundnose Grenadier</i>	<i>III</i>
<i>Salmon</i>	<i>IIa, IV, Vb, VI, VII, VIII</i>
<i>Sandeels</i>	<i>Scottish Inshore Waters<sup>1</sup></i>
<i>ShortfinMako(Isurus oxyrinchus)</i>	<i>All Waters</i>
<i>Skates and Rays</i>	<i>VIII</i>
<i>Sole</i>	<i>VIIbc</i>
	<i>VIII</i>
<i>Undulate Ray (Raja undulata)</i>	<i>VI, VIIa-c &amp; f-k, VIII</i>
<i>White sharks</i>	<i>IIa, IV, Vb, VI, VII, VIII</i>
<i>White Skate (Rostroraja alba)</i>	<i>VI, VIIa-c, e-k, VIII</i>
<i>Whiting</i>	<i>VIII</i>

**OTHER SPECIES FOR WHICH YOU MAY NOT FISH.**

SPECIES	SEA AREAS
Herring	IVc, VIIId Vb, VIb, VIaN <sup>9</sup> and VIaS <sup>10</sup> , VIIa, VIIe-f
Mackerel	IIIa & IV, IIa, IIIbcd, IVa Flexibility box <sup>5</sup>
Sandeels	IIa & IV (including all management areas)
Tusk	IIa
Anglerfish	IIa <sup>1</sup> , IV <sup>1</sup> , Vb <sup>1</sup> , VI, VII
Bass	IIa <sup>1</sup> , IV <sup>1</sup> , Vb <sup>1</sup> , VI, VII
Cod	IIa <sup>1</sup> , IV, VI, VII, VIII
Dabs/Flounders	IIa <sup>1</sup> , IV <sup>1</sup> , VI, VII
Greater Silver Smelt	IIa <sup>1</sup> , IV <sup>3</sup> , Vb <sup>1</sup> , VI, VII
Haddock	IIa <sup>1</sup> , IV, Vb, VIa, VII, VIII
Hake	IIa & IV, Vb <sup>1</sup> , VI, VII
Lemon sole/Witches	IIa <sup>1</sup> , IV <sup>1</sup> , VI, VII
Ling	IIa <sup>1</sup> , IV, VI, VII, VIII
Megrim	IIa <sup>1</sup> , IV <sup>1</sup> , Vb <sup>1</sup> , VI, VII
Nephrops	IIa, IV, VII
Plaice	IIa <sup>1</sup> , IV, Vb <sup>1</sup> , VI, VII
Pollack	IIa <sup>1</sup> , IV <sup>1</sup> , Vb <sup>1</sup> , VI, VII
Saithe	IIa <sup>1</sup> , IIIa, IIIb-d <sup>1</sup> , IV, Vb <sup>1</sup> , VI, XII <sup>2</sup> , XIV <sup>2</sup> , VII, VIII
Sole	IIa <sup>1</sup> , IV <sup>1</sup> , Vb <sup>1</sup> , VI, VII
Skates & Rays	IIa <sup>1</sup> , IV <sup>1</sup> , Vb <sup>1</sup> , VI, VII
Turbot/Brill	IIa <sup>1</sup> , IV <sup>1</sup> , Vb <sup>1</sup> , VI, VII
Whiting	IIa <sup>1</sup> , IV <sup>1</sup> , Vb <sup>1</sup> , VI, VII
Horse Mackerel	IIa, IVa, Vb, VI, VIIa-c, VIIe-k, VIIIId,
Mackerel	IIa, III IV, Vb <sup>1</sup> , VI, VII, VIIIId
Sprats	IIa <sup>1</sup> , IV <sup>1</sup> , Vb <sup>1</sup> , VI, VII

**OTHER SPECIES FOR WHICH YOU MAY NOT FISH (DEEP-SEA SPECIES).**

Alfonsinos	IIa, IV, Vb <sup>1</sup> , VI, VII, VIII
Black scabbardfish	IIa, IV, Vb <sup>1</sup> , VI, VII, VIII
Forkbeards	IIa, IV, Vb <sup>1</sup> , VI, VII, VIII
Red seabream	IIa, IV, Vb <sup>1</sup> , VI, VII, VIII
Roundnose grenadier	IIa, IV, Vb <sup>1</sup> , VI, VII, VIII

**Footnotes**

<sup>1</sup> "Scottish inshore waters" means the sea adjacent to the coast of Scotland and to the landward of a limit of 6 nautical miles from the baseline from which the territorial sea is measured, up to the mean high water mark of ordinary spring tides.

<sup>2</sup> The Thames and Blackwater coastal area means the area of sea within a zone delimited by a line running due south from Landguard Point in 51° 56' North and 1° 19' East to 51° 33' North and thence due west to a point on the coast of England.

<sup>3</sup> Firth of Clyde means the area of sea which lies landward of a line drawn from a point on the mainland of Scotland at 55° 17.9' North and 5° 47.8' West (Mull of Kintyre) to a point on the mainland of Scotland at 55° 00.5' North and 5° 09.4' West (Corsewall Point).

<sup>4</sup> Deep Sea sharks refers to sharks in the following list of species, Deepwater catsharks, Frilled shark, Gulper shark, Leafscale gulper shark, Portuguese dogfish, Longnose velvet dogfish, Black dogfish, Birdbreak dogfish, Kitefin shark, Greater lantern shark, Velvet belly, Blackmouth dogfish, Mouse catshark, Six-gilled shark, Sailfin roughshark (Sharpback shark), Knifetooth dogfish, Greenland shark.

<sup>5</sup> Mackerel caught in British waters of ICES Division IVa in the periods between 1 September and 15 February the following year shall be recorded against the Western mackerel quota. All other catches of mackerel in ICES Division IVa shall be recorded against the North Sea mackerel quota and shall be subject to any quota limitations set out at **Part II** of this **Annex**.

<sup>6</sup> Atlanto-Scandian Herring – British Waters of ICES II.

<sup>9</sup> Reference is to the herring stock in the part of ICES zone VIa which lies east of the meridian of longitude 7°W and north of the parallel of latitude 55°N, or west of the meridian of longitude 7°W and north of the parallel of latitude 56°N, excluding the Clyde.

<sup>10</sup> ICES 'VIaS is West of the meridian of longitude 7°W and South of the parallel of latitude 56°N.'

**Part II: QUOTA LIMITATIONS.**

<b><u>TAC SPECIES</u></b>	<b><u>SEA AREA</u></b>	<b><u>QUOTA LIMIT</u></b>
Nephrops	Vb, VI	<b>500kgs</b>
Spurdog	IIa, IV	<b>5 tonnes</b>

Footnotes

<sup>1</sup> British Zone.

**Live weight shall be calculated by multiplying landed weight by the conversion factors set out below.**

<u>Species</u>	<u>Code</u>	<u>Gutted</u>	<u>Gutted &amp; Headed</u>	<u>Fillets</u>	<u>Parts</u>
Anglerfish	ANF	1.22	3.0		3.0 <sup>1</sup>
Bass	BSE	1.125		2.7	
Blue Whiting	WHB	1.15			
Brill	BLL	1.09	2.7		
Cod	COD	1.17	1.7	2.6	1.38 <sup>2</sup>
Conger Eel	COE	1.125		2.7	
Common Dab	DAB	1.11	1.39		
Common Sole	SOL	1.04		2.5	
Flounder	FLE	1.08		2.7	1.39 <sup>3</sup>
Greenland Halibut	GHL	1.08			
Halibut	HAL	1.08		2.7	
Haddock	HAD	1.17	1.46	2.6	
Hake	HKE	1.11	1.4	2.6	
Herring	HER	1.12	1.19		
Horse Mackerel	JAX	1.08			
Lemon Sole	LEM	1.05		2.5	
Ling	LIN	1.14	1.32	2.64	2.8 <sup>4</sup>
Mackerel	MAC	1.09			
Megrims	LEZ	1.06		2.5	
Mullet	MUL	1.125		2.7	
Nephrops	NEP				3.0 <sup>1</sup>
Plaice	PLE	1.05	1.39	2.4	
Pollack	POL	1.17	1.36	2.7	
Redfish	RED	1.19			
Red Mullet	MUR	1.125		2.7	
Saithe	POK	1.19	1.44	2.9	
Skates & Rays <sup>7</sup>		1.13			2.09 <sup>5</sup>
Spurdog	DGS	1.35		2.7	2.52 <sup>3</sup>
Tope	GAG	1.125			
Turbot	TUR	1.09		2.7	
Tusk	USK	1.14			
Whiting	WHG	1.18	1.41	2.7	
Witch	WIT	1.06		2.7	

<u>Deep Sea Species</u>	<u>Code</u>	<u>Gutted</u>	<u>Gutted &amp; Headed</u>	<u>Fillets</u>	<u>Parts</u>
Black Scabbardfish	BSF	1.24			1.4 <sup>2</sup>
Blue Ling	BLE	1.17	1.32	2.8	
Greater Forkbeard	GFB	1.11	1.4		
Greenland Halibut	GHL	1.08			
Roundnose Grenadier	RNG	1.11	1.92		3.2 <sup>6</sup>
Red Seabream	SBR	1.11		2.7	

**Footnotes**

<sup>1</sup>Tails; <sup>2</sup>Headed; <sup>3</sup>Gutted, headed and skinned; <sup>4</sup>Gutted and salted; <sup>5</sup>Wings; <sup>6</sup>Gutted, headed and tailed; <sup>7</sup>Species specific codes and ID guides are available from your local fisheries office.