

This patient group direction (PGD) must only be used by registered health professionals who have been named and authorised by their organisation to practice under it. The most recent and in date final signed version of the PGD should be used.

### **Patient Group Direction (PGD)**

For the administration or supply of

Podophyllotoxin 0.5% solution

By registered health care professionals for

# External ano-genital warts – non-keratinised (Second line treatment)

Throughout the Manx Care and those contracted by the Manx Care where appropriate within practice

### **PGD NUMBER 62**

### 1. Change history

Version number	Change details	Date
1	Original PGD ratified	June 2021
2	Addition of age wording, plus minor wording amendments	February 2022

Reference number: 62 Valid from: 02/2022 Review date: 02/2024

### 2. Medicines practice guideline 2: Patient group directions

Refer to the relevant sections of NICE medicines practice guideline 2: *Patient group directions* as stated in the blank template notes. For further information about PGD signatories, see the NHS and Manx Care <u>PGD website FAQs</u>

### 3. PGD development

Refer to the <u>NICE PGD competency framework for people developing PGDs</u>

Job Title & organisation	Name	Signature	Date
Author of the PGD			
Member of the PGD working group			

### 4. PGD authorisation

Refer to the NICE PGD competency framework for people authorising PGDs

Job Title	Name	Signature	Date
Medical Director			
Chief Pharmacist/ Pharmaceutical Adviser			
Senior Paramedic			
Director of Nursing			
GP Adviser			
Senior Microbiologist (if PGD contains antimicrobials)			

Reference number: 62 Valid from: 02/2022 Review date: 02/2024

### 5. PGD adoption by the provider

Refer to the <u>NICE PGD competency framework for people authorising PGDs</u>

Job title and organisation	Signature	Date	Applicable or not applicable to area

## 6. Training and competency of registered healthcare professionals, employed or contracted by the Manx Care, GP practice or Hospice

Refer to the <u>NICE PGD competency framework for health professionals using PGDs</u>

	Requirements of registered Healthcare professionals working under the PGD	
Qualifications and	Registered healthcare professionals, working within or	
professional registration	contracted by the Manx Care, GP practice or Hospice who are	
	permitted staff groups outlined within the current PGD policy	
	Pharmacists must be practising in Manx Care authorised	
	premises i.e. contracted pharmacy premises	
Initial training	Knowledge of current guidelines and the administration of the	
	drug specified in this PGD/BNF and of the inclusion and	
	exclusion criteria	
	Training which enables the practitioner to make a clinical	
	assessment to establish the need for the medication covered by	
	this PGD	
	Local training in the use of PGDs	
Competency	Staff will be assessed on their knowledge of drugs and clinical	
assessment	assessment as part the competency framework for registered health	
	professionals using PGDs	
Ongoing training and	The registered health care professionals should make sure they are	
competency	aware of any changes to the recommendations for this medication;	
	it is the responsibility of the registered health care professionals to	
	keep up to date with continuing professional development. PGD	
	updates will be held every two years	

Reference number: 62 Valid from: 02/2022 Review date: 02/2024

### 7. Clinical Conditions

Clinical condition or	Individuals who present with external anogenital warts, non-	
situation to which this	keratinised as second line treatment	
PGD applies	Refutitised as second line treatment	
Inclusion criteria	<ul> <li>Individuals who present with external anogenital warts, non-keratinised as second line treatment</li> <li>Aged 13 years and over. All individual under the age of 19 years -follow local young person's risk assessment or equivalent local process</li> </ul>	
Exclusion criteria	<ul> <li>Individuals under 13 years of age</li> <li>Individuals under 16 years old and assessed as lacking capacity to consent using the Fraser Guidelines</li> <li>Individuals 16 years of age and over and assessed as lacking capacity to consent</li> <li>Risk of pregnancy or breast feeding</li> <li>Keratinised warts – see Imiquimod PGD</li> <li>Females not currently on a reliable form of contraception</li> <li>Known allergy or hypersensitivity to podophyllotoxin</li> <li>Individual has already had a 4 week course of podophyllotoxin</li> <li>Inflamed, ulcerated or broken skin</li> <li>Warts on internal mucosal skin (vaginal or anal canal, urethral meatus, cervix)</li> </ul>	
	Extra genital warts	
	Warts involving an area greater than 4cm <sup>2</sup>	
Cautions (including any relevant action to be taken)	<ul> <li>An individual with impaired cell mediated immunity (e.g. those with HIV or transplant recipients) may respond poorly to treatment and have higher relapse rates. The British Association for Sexual Health and HIV (BASHH) recommends careful follow-up of these individuals</li> <li>Avoid normal skin</li> <li>Avoid open wounds</li> <li>Keep away from face</li> <li>Very irritant to eyes</li> </ul>	
Arrangements for referral	Patient should be referred to a more experienced clinical	
for medical advice	practitioner for further assessment	
Action to be taken if	Patient should be referred to a more experienced clinical	
patient excluded	practitioner for further assessment	
Action to be taken if	A verbal explanation should be given to the patient on: the need	
patient declines	for the medication and any possible effects or potential risks	
treatment	which may occur as a result of refusing treatment	
	<ul> <li>This information must be documented in the patients' health records</li> <li>Any patient who declines care must have demonstrated capacity to do so</li> </ul>	
	Where appropriate care should be escalated	

Reference number: 62 Valid from: 02/2022 Review date: 02/2024

#### 8. Details of the medicine

Name, form and strength	Podophyllotoxin 0.5% solution
of medicine	
Legal category	Prescription Only Medicine (POM)
Indicate any off-label use	None
(if relevant)	
Route/method of administration	Topical
Dose and frequency	Apply (One dip of the applicator stick into the bottle- to allow
	enough of the solution to fill the hole in applicator stick) twice daily
	for 3 consecutive days with a four day break. Treatment may be
	repeated at weekly intervals if necessary for a total of four 3-day
	treatment courses. Sooner if warts resolve
Quantity to be	Supply: 1 original pack (3ml)
administered and/or	Administered: 1 dose
supplied	
Maximum or minimum	Maximum of 4 weeks
treatment period	
Storage	Room temperature – once opened do not use product after 6 weeks
Adverse effects	balanoposthitis
	<ul> <li>skin irritation such as tenderness, itching, erythema, stinging and superficial ulceration</li> </ul>
Records to be kept	The administration of any medication given under a PGD must be recorded within the patient's medical records

### 9. Patient information

Verbal/Written information to be given to patient or carer	<ul> <li>Where medication is being supplied under a PGD, written patient information leaflet must also be supplied</li> <li>A patient information leaflet is available on request</li> </ul>	
Follow-up advice to be	If symptoms do not improve or worsen or you become unwell, seek	
given to patient or carer	medical advice immediately	

### 10. Appendix A

### References

- 1. British National Formulary (BNF) available online: <a href="https://bnf.nice.org.uk">https://bnf.nice.org.uk</a>
- 2. Nursing and Midwifery "The code" available online: <a href="https://www.nmc.org.uk">https://www.nmc.org.uk</a>
- 3. Current Health Care Professions Council standards of practice
- 4. General Pharmaceutical Council standards
- 5. The General Optical Council
- 6. Electronic medicines compendium available online: <a href="https://www.medicines.org.uk">https://www.medicines.org.uk</a>
- 7. <a href="http://www.bashh.org/documents/86.pdf">http://www.bashh.org/documents/86.pdf</a>

Reference number: 62 Valid from: 02/2022 Review date: 02/2024

### 11. Appendix B

### Health professionals agreed to practice

- Each registered healthcare professional will hold their own Competency framework which will be signed and agreed by their mentor
- A mentor is defined within the Manx Care policy as any ward/area managers, sisters, senior nurses, GPs, pharmacists or senior paramedics who has completed the PGD training themselves

Reference number: 62 Valid from: 02/2022 Review date: 02/2024