

This patient group direction (PGD) must only be used by registered health professionals who have been named and authorised by their organisation to practice under it. The most recent and in date final signed version of the PGD should be used.

Patient Group Direction (PGD)

For the administration of

Midazolam 2.5mg-5mg SC

By registered health care professionals for

Adjunct in the management of severe breathlessness in the terminal phase

Throughout the Manx Care and those contracted by the Manx Care where appropriate within practice

PGD NUMBER 44

1. Change history

Version number	Change details	Date
1	Original document	04/12/2023

Reference number: 44 Valid from: 12/2023 Review date: 12/2025

Version: 1

2. Medicines practice guideline 2: Patient group directions

Refer to the relevant sections of NICE medicines practice guideline 2: *Patient group directions* as stated in the blank template notes. For further information about PGD signatories, see the NHS and Manx Care <u>PGD</u> website FAQs

3. PGD development

Refer to the <u>NICE PGD competency framework for people developing PGDs</u>

Job Title & organisation	Name	Signature	Date
Author of the PGD			
Member of the PGD working group			

4. PGD authorisation

Refer to the <u>NICE PGD competency framework for people authorising PGDs</u>

Job Title	Name	Signature	Date
Medical Director			
Chief Pharmacist/ Pharmaceutical Adviser			
Deputy to Senior Paramedic			
Director of Nursing			
GP Adviser			
Senior Microbiologist (if PGD contains antimicrobials)	N/A	N/A	N/A

Reference number: 44 Valid from: 12/2023 Review date: 12/2025

Version: 1

5. Training and competency of registered healthcare professionals, employed or contracted by the Manx Care, GP practice or Hospice

Refer to the <u>NICE PGD competency framework for health professionals using PGDs</u>

	Requirements of registered Healthcare professionals working	
	under the PGD	
Qualifications and	Registered healthcare professionals, working within or	
professional registration	contracted by the Manx Care, GP practice or Hospice who are permitted staff groups outlined within the current PGD policy	
Initial training	Knowledge of current guidelines and the administration of	
	the drug specified in this PGD/BNF and of the inclusion and	
	exclusion criteria	
	Training which enables the practitioner to make a clinical	
	assessment to establish the need for the medication covered	
	by this PGD	
	Local training in the use of PGDs	
Competency	Staff will be assessed on their knowledge of drugs and clinical	
assessment	assessment as part the competency framework for registered	
	health professionals using PGDs	
Ongoing training and	The registered health care professionals should make sure they	
competency	are aware of any changes to the recommendations for this	
	medication; it is the responsibility of the registered health care	
	professionals to keep up to date with continuing professional	
	development. PGD updates will be held every two years	

6. Clinical Conditions

Clinical condition or	Adjunct in the management of severe breathlessness in the	
situation to which this	terminal phase of illness	
PGD applies		
	NB: (Terminal phase is the last few days to week of life as	
	determined and documented by the specialist palliative care team.	
Inclusion criteria	Adjunct in the management of severe breathlessness in the	
	terminal phase of illness	
	Age 12 years and above	
Exclusion criteria	Children under 12 years	
	Known hypersensitivity to midazolam	
	Pregnancy	
	Not in the terminal phase of illness	

Reference number: 44 Valid from: 12/2023 Review date: 12/2025

Version: 1

Cautions (including any	Cardiac disease, in particular, heart failure and arrhythmias.		
relevant action to be	Pulmonary hypertension		
taken)	Infective endocarditis		
	Rheumatic or Carcinoid heart disease		
	Congenital abnormalities (e.g. tetralogy of Fallot, ventricular		
	septal defect, valvular pulmonic stenosis)		
	Pulmonary valve repair		
	Chronic obstructive pulmonary disease		
	Extra caution should be exercised in the presence of any other		
	form of cerebral depressant		
	io or derestal depressant		
	A detailed list of cautions is available in the SPC, which is availab		
	from the electronic Medicines Compendium website:		
	www.medicines.org.uk and BNF https://bnf.nice.org.uk		
Arrangements for referral	Patient should be referred to a more experienced clinical		
for medical advice	practitioner for further assessment		
Action to be taken if	Patient should be referred to a more experienced clinical		
patient excluded	practitioner for further assessment		
Action to be taken if	A verbal explanation should be given to the patient on: the		
patient declines	need for the medication and any possible effects or potential		
treatment	risks which may occur as a result of refusing treatment		
	This information must be documented in the patients' health		
	records		
	Any patient who declines care must have demonstrated		
	capacity to do so		
	Where appropriate care should be escalated		

7. Details of the medicine

Name, form and strength	Midazolam 10mg/2ml injection
of medicine	
Legal category	Prescription Only Medicine (POM) schedule 3 CD
Indicate any <u>off-label use</u>	Severe breathlessness in the terminal phase of illness
(if relevant)	
Route/method of	Subcutaneous injection
administration	
Dose and frequency	2.5-5mg SC followed by a 0.5ml water for injection flush if
	cannula insitu
	2-4hrly as required.
Quantity to be	Maximum dose in 24hrs is 60mg
administered	
Maximum or minimum	One continuing episode of care
treatment period	
Storage	Store at Room temperature

Reference number: 44 Valid from: 12/2023 Review date: 12/2025 Version: 1

Adverse effects	 Appetite suppression Apnoea Bradycardia Cardiac arrest Coma Chest pain Confusion and agitation Paradoxical reactions included hallucinations and increase Transient retrograde amness 	d anxiety
	A detailed list of adverse reactio available from the electronic Me www.medicines.org.uk and BNF	•
Records to be kept	The administration of any medication given under a PGD must be recorded within the patient's medical records	

8. Patient information

Verbal/Written information to be given to patient or carer	 Verbal information must be given to patients and or carers for all medication being administered under a PGD Where medication is being supplied under a PGD, written patient information leaflet must also be supplied A patient information leaflet is available on request 	
Follow-up advice to be If symptoms do not improve or worsen or you become un		
given to patient or carer	seek medical advice immediately	

9. Appendix A

References

- 1. British National Formulary (BNF) available online: https://bnf.nice.org.uk
- 2. Nursing and Midwifery "The code" available online: https://www.nmc.org.uk
- 3. Current Health Care Professions Council standards of practice
- 4. General Pharmaceutical Council standards
- 5. Electronic medicines compendium available online: https://www.medicines.org.uk
- 6. Scottish Palliative Care Guidelines https://www.palliativecareguidelines.scot.nhs.uk

10. Appendix B

Health professionals agreed to practice

- Each registered healthcare professional will hold their own Competency framework which will be signed and agreed by their mentor
- A mentor is defined within the Manx Care policy as any ward/area managers, sisters, senior nurses, GPs, pharmacists or senior paramedics who has completed the PGD training themselves

Reference number: 44 Valid from: 12/2023 Review date: 12/2025

Version: 1 Page 5 of 5