

Manx Marine Environmental Assessment  
**Ecology and Biodiversity**  
**Sea Turtles in Manx Waters**



Leatherback Turtle (*Dermochelys coriacea*).

Photo: [www.marinecreaturesstockphoto.com/rowanbyrne](http://www.marinecreaturesstockphoto.com/rowanbyrne)

**MMEA Chapter 3.8**

**October 2013**

**Lead author:**

Laura Hanley – Isle of Man Marine Plan

**Further contributions**

Fiona Gell – Department of Environment, Food and Agriculture

Rowan Bryne – Briggs Marine

# Manx Marine Environmental Assessment



**Version: November 2013**

*© Isle of Man Government, all rights reserved*

This document was produced as part of the Isle of Man Marine Plan Project, a cross Government Department project funded and facilitated by the Department of Infrastructure, Department of Economic Development and Department of Environment, Food and Agriculture.

This document is downloadable from the Department of Infrastructure website at:  
<http://www.gov.im/categories/planning-and-building-control/marine-planning/manx-marine-environmental-assessment/>

For information about the Isle of Man Marine Plan Project please see:  
<http://www.gov.im/categories/planning-and-building-control/marine-planning/>

**Contact:**

Manx Marine Environmental Assessment  
Isle of Man Marine Plan Project  
Planning & Building Control Division  
Department of Infrastructure  
Murray House, Mount Havelock  
Douglas, IM1 2SF

**Suggested Citations**

**Chapter**

Hanley, L., Gell, F.G., Byrne, R. 2013. Sea Turtles in Manx Waters. In Hanley *et al.*, (eds.), Manx Marine Environmental Assessment. Isle of Man Marine Plan. Isle of Man Government, pp. 14

**MMEA**

Hanley, L.J., Gell, F.G., Kennington, K., Stone, E., Rowan, E., McEvoy, P., Brew, M., Milne, K., Charter, L., Gallagher, M., Hemsley, K., Duncan, P.F. (eds.) 2013. Manx Marine Environmental Assessment. Isle of Man Marine Plan. Isle of Man Government.

**Disclaimer:**

The Isle of Man Government has facilitated the compilation of this document, to provide baseline information towards the Isle of Man Marine Plan Project. Information has been provided by various Government Officers, marine experts, local organisations and industry, often in a voluntary capacity or outside their usual work remit. Advice should always be sought from relevant contacts where queries arise.

The editors have taken every care to ensure the accuracy of the information contained but accept that errors, omissions or changes may be present which may be identified in future. The editors accept no responsibility for the accuracy or currency of information provided on external sites.

All MMEA chapters may be amended and improved upon in light of new information or comments received. As such, all chapters should be considered as working documents.

Any initial guidelines or recommendations within the document are provided to help facilitate future discussions between stakeholders, Government Departments, future developers and the general public, and should be read only in the context of the document as a whole. This document does not provide legal or policy advice but rather a statement of known information about Manx territorial waters.

The mapping detail contained in this document is subject to the limitations of scale and depiction of any feature, does not denote or infer right of way and no claim is made for the definitive nature of any feature shown on the mapping. New marine datasets created for the project have not been subject to formal verification.

**Copyright:**

Unless stated otherwise, all mapping, overlay data and intellectual property in this publication are subject to the following copyright:

Charts: © Crown Copyright, Department of Infrastructure, Isle of Man. 2012.

United Kingdom Hydrographic Office admiralty charts: © SeaZone Solutions Ltd. Licence no. 2005, [GDDI/10 & 012011.006]. © British Crown Copyright, 2005.

NOT TO BE USED FOR NAVIGATION

Reproduction of the maps in any form is prohibited without prior permission from the publishers.

# Manx Marine Environmental Assessment

## **Sea Turtles in Manx Waters**

### Summary

- Of the world's seven marine turtle species, five have been recorded in British, Irish and Manx waters.
- The largest species, the Leatherback sea turtle is the most likely species to be present in Manx waters as their unique physiology offers protection from the colder sea temperatures.
- All species of sea turtle are fully protected under Isle of Man legislation.
- Leatherback turtles and Loggerhead turtles are listed on the OSPAR list of Threatened and Declining Species.
- Species of sea turtle found in UK, Irish and Manx waters are either listed as 'endangered' or 'critically endangered' by the World Conservation Union (IUCN) on their Red List of Endangered Species lists.
- Between 2001 and 2011, 16 leatherback turtles were recorded in Manx waters and an additional 4 unidentified turtles.
- There are currently no known records of entanglement of sea turtles in Manx waters.
- It is assumed that a lack of records does not reflect a lack of occurrences but rather a lack of rigorous sampling and reporting.
- Sea turtle reports are more likely late summer to autumn with turtles observed at the surface of the sea on clear, flat days.
- Reports are often associated with jellyfish, their main prey, siphonophores (soft bodied gelatinous species), even the odd octopus.
- The main threats to sea turtles in Manx waters are as a result of: 'cold shock' (when hard shelled species are carried out of their normal ranges by adverse conditions); ingestion of marine litter; accidental entanglement in fishing gears e.g. pot lines.
- Climate change is also recognised to have an effect on the distribution of their prey species and through erosion of their nesting habitat elsewhere. Sea turtles are also still poached for meat and eggs in many parts of the world!

## Baseline

Of the world's seven marine turtle species, five have been recorded in British, Irish and Manx waters. Whilst all species of marine turtles are protected under Manx law, the species most likely to be encountered in Manx waters is the largest, The Leatherback turtle (*Dermochelys coriacea*) (see cover image). Hard-shelled species such as the Loggerhead turtle (*Caretta caretta*) (Figure 1.) and Kemp's ridley turtle (*Lepidochelys kempii*) are less likely and most specimens that have been seen in British and Irish waters are thought to have been carried north from their usual habitats by adverse conditions (Pierpoint 2000).

Local records are usually received from fishermen during summer months with sightings often associated with jellyfish swarms, especially of the large barrel jellyfish (*Rhizostoma sp.*), their main diet. Unlike hard shelled species, leatherbacks have a thick oily layer under their skin and a unique physiology (including a counter-current heat exchange system) to protect them and their internal body temperature from the colder sea temperatures of the Irish Sea. See MMEA Chapter 2.1 for further information about Manx sea temperature.



**Figure 1. Hard shelled Loggerhead turtle (*Caretta caretta*). Photo: C Hanley.**

### Legal status and protection

Worldwide, most species of marine turtles are considered to be endangered and under threat of extinction.

The World Conservation Union (IUCN) Red List of Endangered Species lists the hawksbill (*Eretmochelys imbricata*), Kemp's ridley (*Lepidochelys kempii*) and leatherback

(*Dermochelys coriacea*) turtles as 'critically endangered'. The green (*Chelonia mydas*) and loggerhead (*Caretta caretta*) turtles are listed as 'endangered'.

See: <http://www.iucnredlist.org/details/6494/0>

Under Schedule 5 of the Manx Wildlife Act 1990, sea turtles receive legal protection from intentional killing, injuring and taking of listed animals. The Act also prohibits the reckless disturbance of scheduled animals while they are occupying a structure or place used for shelter or protection.

Marine turtles are also listed on several international conventions to which the Isle of Man is signatory including:

OSPAR - Leatherback turtles and Loggerhead turtles are listed on the OSPAR list of Threatened and Declining Species.

CITES - The leatherback turtle is listed on Appendix I of the Convention on International Trade in Endangered Species (CITES) ([www.cites.org](http://www.cites.org)) whereby trade in the species is strictly prohibited.

The Bern Convention - Leatherbacks are listed on Appendix II of the The Convention on the Conservation of European Wildlife and Natural Habitats.

For further information please see MMEA Chapter 3.7. (Marine and Coastal Conservation).

### **Turtle Implementation Group (TIG)**

Marine Biodiversity Officers with DEFA are included as part of the UK and Republic of Ireland Turtle Implementation Group which acts as a steering group. TIG consists of all the UK and Republic of Ireland statutory conservation bodies together with other interested organisations and the groups remit includes raising awareness of marine turtle presence, provide guidance on handling stranding events and rehabilitation; and guiding national and international policy.

### **Manx records and data**

On the Isle of Man all sightings and strandings of both dead and alive marine turtles are to be reported to DEFA Fisheries Directorate (+44 1624 685835). DEFA Marine Biodiversity Officers handle and collate all sea turtle records for Manx waters and would respond to and co-ordinate the handling of any live or dead strandings if they occurred.

Between 2001 and 2011, 16 leatherback turtles were recorded in Manx waters and an additional 4 unidentified turtles. There are relatively few historic records of turtles in Manx waters with 32 records recorded between 1748 and 2011, see Table 1 (Penrose and Gander 2012). There are currently no known records of entanglement of sea turtles in Manx waters.

It is assumed that a lack of sighting nor entanglement records does not reflect a lack of occurrences in Manx waters and the wider Irish Sea, but rather a lack of rigorous sampling and reporting.

**Table 1. Cumulative number of records in the UK and Republic of Ireland TURTLE Database including the Isle of Man (Penrose and Gander 2012).**

Cumulative number of records.		
Country	All Species	
	2011	1748 - 2011
Rep. of Ireland	16	1273
England	21	561
Scotland	10	374
Wales	16	228
N. Ireland	0	39
Isle of Man	1	32
Channel Islands	0	12
Offshore	3	10
<b>Total</b>	<b>67</b>	<b>2529</b>

Marine turtle reports collated by DEFA Marine Biodiversity Officers are included in the UK and Republic of Ireland TURTLE database. The database goes back to 1748 and can be viewed on the NBN Gateway, where an interactive map of all records is also available, see: <https://data.nbn.org.uk/>

A map of Leatherback turtle records is available through the NBN Gateway at: <https://data.nbn.org.uk/>


Annual reports are available from the Marine Environmental Monitoring Network: <http://www.strandings.com/Wales.html>.

Isle of Man news item on one of the most recent leatherback turtle sighting in Manx waters: <http://www.isleofman.com/News/local/article.aspx?article=25519&area=communityhome&cat=2>.

## Research elsewhere and further data gaps

Research on leatherback sea turtles including tagging effort is predominantly carried out on their nesting beaches at locations that include: Caribbean Islands, Florida, Central and South America and the West Coast of Africa.

Long term satellite tracking has revealed that leatherbacks range widely throughout the Northern Atlantic and travel extensively (Hays et al. 2004). Several individuals have also been satellite tagged in European waters. The map in Figure 1 (b) shows satellite tracking data received from devices deployed on six leatherback sea turtles in the northeast Atlantic including two individuals tracked from Dingle, Ireland (Doyle et al. 2008).



**Figure 2.**

**a) Nesting Leatherback sea turtle, Dominica, West Indies.**

Photo: [www.marinecreaturesstockphoto.com/rowanbyrne](http://www.marinecreaturesstockphoto.com/rowanbyrne);

**b) All known leatherback tracks in the northeast Atlantic (published & pending)**

(Doyle, 2007). Three leatherback turtles were satellite tracked from Grenada, Caribbean. Two turtles satellite tracked from Dingle, Ireland; One turtle satellite tracked from Trinidad & Tobago. Reproduced with permission (Doyle, 2007).

Increased data is required on the distribution and abundance of prey species including gelatinous zooplankton species (e.g. salps, siphonophores and jellyfish). A better understanding between the relationships between turtles and their main prey items may provide a more focussed approach to future research and monitoring, for example; Houghton et al (2006) suggested fairly strong linkages between the presence of *Rhizostoma* jellyfish and Leatherback turtle sightings. Given the proximity to the Isle of Man of a probable *Rhizostoma* 'hotspot' in the Solway Firth, it may be that more targeted research in future could increase both sightings and our understanding of these animals.

Local marine users (inc. sea swimmers, divers and surfers) and members of the Manx public often collect valuable records for Manx waters, particularly of large jellyfish aggregations or jellyfish mass stranding events. Even basic information on presence is valuable to build information on seasonality and changing jellyfish presence and distributions in Manx waters.

There is currently no formal biological recording on the Isle of Man to handle jellyfish records although many individuals pass their reports to initiatives in UK and Ireland on an ad hoc basis.

For information about initiatives elsewhere please see the following links which also have identification and reporting sheets available to download:

- EcoJel. A collaboration between Swansea University (Wales) and University College Cork (Ireland): <http://www.jellyfish.ie/>.
- Marine Conservation Society – Jellyfish Survey: [http://www.mcsuk.org/what\\_we\\_do/Wildlife+protection/Report+wildlife+sightings/MCS+Jellyfish+Survey](http://www.mcsuk.org/what_we_do/Wildlife+protection/Report+wildlife+sightings/MCS+Jellyfish+Survey).



**Figure 3. A barrel jellyfish (*Rhizostoma octopus*) in Manx waters. Individuals can weigh up to 30 kg. Photo: G. Smith.**

## **Stranded Marine Turtles**

Stranded individuals provide a unique opportunity to gain crucial information about these endangered animals in the Irish Sea.

All stranded and entangled turtles (dead or alive) should be reported to a DEFA Marine Biodiversity Officer (Fisheries Directorate) to examine and co-ordinate a response.

Any **live** hard-shell species that manage to strand or become entangled are likely to be passed to MSPCA who would endeavour to arrange for rehabilitation in liaison with organisations with experience elsewhere.

All **live** entangled animals should be reported to DEFA Officers for advice. In many incidents elsewhere, animals have been successfully released through co-operation of local marine users and fishermen.

**Dead** stranded turtles in a 'fresh' condition may be suitable for post-mortem examination to establish cause of death with samples taken for archive and various research projects.

Any identification tags would be located at both sides at the rear (posterior) of the animal, beside what you could call a tail (Figure 4.). Tags should not be removed even if the animal

is dead as they provide important details including: worldwide locations visited, growth rate and life history.

There is currently no direct funding for attending a sea turtle stranding, post mortem nor rehabilitation although basic protocols have been drafted and key contacts and organisations with experience in the UK would provide additional guidance to DEFA Officers.

The UK Turtle Code provides advice for marine users on how to deal with sea turtle encounters. The Code is available at: [www.euroturtle.org/turtlecode](http://www.euroturtle.org/turtlecode).



**Figure 4. The posterior of a Leatherback sea turtle. Arrow dictates position of two metal tags on the hind right flipper.** Photo: [www.marinecreaturesstockphoto.com/rowanbyrne](http://www.marinecreaturesstockphoto.com/rowanbyrne);

## Threats

In the UK and Ireland the cause of death in stranded sea turtles has predominantly been as a result of 'cold shock'. Hard-shell species of marine turtle, like loggerheads, are normally found in warmer waters and are unable to regulate their body temperature in order to survive colder waters. During extreme weather conditions a turtle may be blown off course, experience cold shock, become lethargic, unable to feed and will eventually starve. Predicted increases in such extreme weather conditions as a result of climate change, could potentially lead to an increase in sea turtle strandings and the increased possibility of a stranding event on a Manx beach.

Reviews carried out in the UK have identified lobster and crab pots, drift nets and mid-water trawls as being implicated in the accidental by-catch of sea turtles (Pierpoint 2000). Turtles entangled at depth or at the surface during low tide will almost certainly drown (Doyle 2007). It is not the pots or nets that pose a key risk, but rather the ropes used to secure and mark their positions (i.e. buoy ropes and their loose ends (slack) (Doyle, 2007).

However, acknowledgement is often given towards the sometimes considerable efforts made by fishermen and marine users to release the turtles without harm (Gibson 2011).

Ingestion of marine litter is another key threat as sea turtles often mistake plastics for their prey species. Plastic polymers and compounds have been also found inside egg cases of hatchlings (juveniles).

Leatherbacks and loggerhead turtles migrate widely in European Atlantic waters and although they receive protection in Manx waters, the same animals are threatened elsewhere from a range of other anthropogenic activities including: unregulated long-line fisheries practices, tourism practices and coastal development, and persecution at their nesting beaches.

In addition, climate change is known to be having a profound effect on nesting activities (sex ratios are temperature dependant), and more locally on the distribution of their prey species.

Sea turtles are also still poached for meat and eggs in many parts of the world.



**Figure 5. The Harlech leatherback turtle. © Western Mail & Echo, Wales.**

The largest and heaviest sea turtle ever recorded, washed ashore on Harlech beach, Wales, in September 1988. The turtle measured almost 3m (9ft) in length and weighed 914 kilos (2,016 pounds) and attracted worldwide attention.

The specimen remains on display at the Museum of Wales, see:  
<http://www.museumwales.ac.uk/en/rhagor/article/turtle/>.

## Concluding remarks

It is little known that sea turtles, especially the leatherbacks may be present in Manx waters (particularly late summer) and awareness needs to increase.

Local reports from marine users, fishermen and members of the public are important to contribute to a better understanding of numbers, seasonality, behaviour and use of Manx waters in a wider Irish Sea context.

Marine users, fishermen and the Manx public are therefore encouraged to pass all reports to DEFA Marine Biodiversity Officers.

Increased effort based watches and dedicated observers on ships of opportunity in conjunction with other wildlife research and survey may also increase the numbers of sightings made.

Post mortem and other data collected from strandings and entangled individuals is also crucial, to continue to address information gaps that are important for an understanding of their worldwide conservation status.

Information on the distribution and occurrence of prey species (especially jellyfish aggregations) in Manx waters is currently limited, although data continues to be collected and better understanding of these relationships may be possible in future.

## References

- Doyle, T. K. (2007) Leatherback Sea Turtles (*Dermochelys coriacea*) in Irish waters. Irish Wildlife Manuals, No. 32. National Parks and Wildlife Service, Department of the Environment, Heritage and Local Government, Dublin, Ireland. URL: <http://www.npws.ie/publications/irishwildlifemanuals/>
- Doyle, T., Houghton, J. D. R., O' Súilleabháin, P. F., Hobson, V. J., Marnell, F., Davenport, J., Hays, G. C. (2008). Leatherback turtles satellite-tagged in European waters. *Endang. Species Res.* 4: 23–31.
- Eckert K.L., Bjorndal, K.A., Alberto Abrue-Grobois, F., Donnelly, M. (eds.) (1999). *Research and Management Techniques for the Conservation of Sea Turtles*. Publication No. 4. IUCN/SSC Marine Turtle. 10pp.
- Eckert, K. L., Wallace, B.P., Frazier, J. G., Eckert, S. A., Pritchard, P. C. H. (2012). Synopsis of the biological data on the leatherback sea turtle (*Dermochelys coriacea*). U.S. Department of Interior Fish and Wildlife Service, Biological Technical Publication. BTP-R4015-2012, Washington DC.
- Gibson, C. E. (ed.) (2011). Northern Ireland. State of the Seas Report. Report commissioned by Northern Ireland Environment Agency and Agri-Food and Biosciences Institute.
- Hays, G.C., Houghton, J.D.R. & Myers, A.E. (2004) Pan-Atlantic leatherback turtle movements. *Nature* 429:522.
- Houghton, J.D.R., Doyle, T.K., Davenport, J. & Hays, G.C. (2006). Jellyfish aggregations and leatherback turtle foraging patterns in a temperate coastal environment. *Ecology* 87: 1967-1972.
- Pierpoint, C. (2000). Bycatch of marine turtles in UK and Irish waters, JNCC Report 310, 32 pages, ISSN 0963 8091. URL: <http://jncc.defra.gov.uk/page-2330>
- The Synopsis of the Biological Data on the Leatherback Sea Turtle - recently published by the US Fish and Wildlife Service- see: <http://library.fws.gov/BTP/biological-data-Leatherback-Sea-Turtle-Final.pdf>.

## Website Links:

- [www.euroturtle.org/turtlecode](http://www.euroturtle.org/turtlecode). The UK Turtle Code. Euroturtle. Last Accessed 20/12/2013.
- <http://www.iucnredlist.org/details/6494/0>. IUCN. Last Accessed 20/12/2013.
- <http://www.jellyfish.ie/turtle.asp>. The EcoJel Project. The INTERREG Irish Sea Leatherback Sea Turtle Project. Last Accessed 20/12/2013.
- <http://www.isleofman.com/News/local/article.aspx?article=25519&area=communityhome&cat=2>. Leatherback turtle spotted in Manx waters. Isle of Man Today. Last Accessed 20/12/2013.
- [www.marinecreatures.com](http://www.marinecreatures.com). Marine Creatures. Photography. Last Accessed 11/09/2012.
- [www.marinecreaturesstocphoto.com](http://www.marinecreaturesstocphoto.com) Marine Creatures. Photography. Last Accessed 20/12/2013.

[http://www.mcsuk.org/conservation\\_in\\_action/Marine%20turtles](http://www.mcsuk.org/conservation_in_action/Marine%20turtles). Marine Conservation Society. Last Accessed 20/12/2013.

[www.seaturtle.org](http://www.seaturtle.org). SeaTurtle. Last Accessed 20/12/2013.

<http://seaturtle.org/mtn/> Marine Turtle Newsletter. Last Accessed 20/12/2013.

<http://www.seaturtle.org/mtrg/projects/tcot/finalreport/> Turtle in the UKOTs. Last Accessed 20/12/2013.

<http://www.strandings.com/Wales.html>. Marine Environmental Monitoring. Last Accessed 20/12/2013.

<http://www.turtle.ie/>. EcoJel Project – Understanding Jellyfish in the Irish Sea. Last Accessed 20/12/2013.